


# STYLE PORTFOLIO 9 HOME DECORATION





645 St9+



## STYLE PORTFOLIO HOMEDECORATION

# STYLE PORTFOLIO OF HOME DECORATION





This is the portfolio we send to all answers to our magazine advertising, fall and spring. This, we feel confident, will be the most successful of the several good portfolios we have gotten out in the past few seasons, showing the decorative possibilities of paints and varnishes, intelligently used. At the time these features are mailed out, we also send the inquirer the name and address of the nearest S-W agent or dealer and to the agent we send the name of the inquirer.



THE SHERWIN-WILLIAMS CO DECORATIVE DEPARTMENT 604 CANAL ROAD CLEVELAND.O.

### A Few Reasons Why Sherwin-Williams Paint is the Best Paint to Use

#### Made of Pure Raw Materials

Every ingredient going into SWP is carefully tested in our own chemical laboratories to see that it comes up to our high standard of purity. Even the raw materials manufactured in our own plants are not excepted from this test. In order to insure purity, we manufacture the more important raw materials in our own factories. Our zinc comes from our own mines and smelters at Magdalena and Coffeyville, Kans., our lead from our corroding plant at Chicago, our linseed oil from our oil works in Cleveland, our dry colors from our dry color plant in Chicago, our driers from our varnish works at Chicago, Cleveland and Newark. Through this control of the raw materials, we are able to manufacture each in the particular way that will allow us to get the best results in combining all of them in SWP.

#### Exact Scientific Formula

Since 1873, when the first factory of this Company was started, constant attention has been given to the improvement and testing of formulas, and thousands of practical and chemical tests have been carried on since that time, so that our present formula is the result of forty years' expert research and experimental work. While SWP is better than it ever was, we are still actively engaged in experimental work on a more extensive scale than ever. Our constant aim is to improve SWP if possible.

#### Mixed and Ground by Special Machinery

The various ingredients entering into SWP are thoroughly mixed and thoroughly ground in special water cooled mills, the grinding stones of which are of the finest grade of French stone. This special machinery has been constructed in our own machine shops and is the development of years of experience in making paints and colors of every description. The various pigments are ground to an almost impalpable fineness and thoroughly combined with the pure linseed oil. This insures greatest covering capacity and a smooth, closely knit paint film, which protects the wood and lasts for the longest possible time. This process of manufacture is one of the important things that make the use of SWP economical, as it will cover from 360 to 400 square feet, two coats to the gallon under average conditions, while white lead and oil will only cover from 250 to 280 square feet under the same conditions.

#### Full U.S. Standard Measure

Every can of SWP is put up full U. S. standard measure. It is carefully tested by weight also, so that there can be no mistake, and each package is hermetically sealed. The consumer is sure that every drop of paint he uses which comes under the Sherwin-Williams label is made of absolutely pure materials and that he is getting full standard measure. He is taking no chances, as is the case when he attempts to use hand mixed lead and oil.

#### Best House Paint Made

There is more SWP used in this country and in foreign countries than any other paint manufactured. This is because it has steadily gained in popularity on account of the satisfaction it gives the user; once used, it makes a permanent customer. Sherwin-Williams Paint is more widely advertised than any other house paint and so it is easier for the dealer to sell. Each year it will be more aggressively advertised, and so as time goes on it will become better and better known.

#### How Sold

SWP is put up in sealed, full U. S. standard measure packages, in quarts, half-gallons, gallons, five-gallons and fifty-gallon barrels. It comes in Outside Gloss White, China Gloss White, Flat White, Inside Varnish White and fifty-one colors and black. We also put up a special SWP Primer (Gray and Yellow), a scientific undercoating and the best foundation on which to apply good paint.

32897



#### Colonial House-Exterior No. 5

The color treatment for the exterior of a house of this type should not depart from the style established in the excellent examples which have come down to us from Colonial times. The body of such a house should be painted in the true Colonial Yellow, with columns and trim of White, and it should be remembered that Colonial Yellow is a cream deepened to a yellow without any greenish cast. SWP 375 is just such a yellow. Being a prepared paint, it is of a uniform color and consistency, and by its use the uncertainty of handmixed colors is entirely eliminated.

The more modified types of Colonial offer a wider choice of color—Silver Gray, White, Brown, Green and Yellow body are frequently used:

#### How to Obtain the Effects Shown on this Plate with Sherwin-Williams Paint

Body - SWP 375
Trimming - SWP Gloss White
Sash - SWP Gloss White
Shutters - SWP 498

Roof - S-W Preservative Shingle Stain, B-41
Porch Floor - S-W Porch and Deck Paint, No. 48

Porch Ceiling - S-W Kopal Varnish

Ex. Doors - S-W Handcraft Stain, Mahogany



#### The Suburban Cottage

The small cottage which is not entirely surrounded by toliage, is often very attractively decorated by using a soft green body color, such as SWP 358, shown on this illustration. Greens, if they are not too raw or glaring in tone, are very satisfactory for exterior decoration. They should have a slight grayish cast and be of a medium strength of tone. Such colors do not fade or become easily soiled. SWP is made in many attractive greens, suitable for every style of house.

#### How to Obtain the Effects Shown on this Plate with

Sherwin-Williams Paint

Body - SWP 358

Trimming - SWP Gloss White Sash - SWP Gloss White Shutters - SWP 461

Roof - S.W. Preservative Shingle Stain, B-42 Rorch Floor - S.W. Porch and Deck Paint, No. 48

Porch Ceiling - S-W Kopal Varnish?

Ex. Doors - S-W Old Dutch Enamel White, Exterior





#### Plate XXIII.

#### Exterior House, No. 8

Body - - SWP 393 Trimming - SWP 457 Sash, - - SWP 462

Roof - - S-W Preservative Shingle

Stain, B-44

Porch Floor - S-W Porch and Deck Paint,

ວບ

Porch Ceiling SWP 462

Ex. Doors - SW-Handcraft Stain, Brown

Oak

#### Exterior House, No. 9

Body - SWP 354 Trimming - SWP 371 Sash - SWP Black

Roof - - S-W Preservative Shingle

Stain, C-81

Porch Floor - S-W Porch and Deck Paint,

48

Porch Ceiling SWP 354

Ex. Doors - S-W Handcraft Stain, Weathered Oak





#### Plate XXIV.

#### Exterior House, No. 10

Body - SWP 353

Trimming - SWP Gloss White

Sash - - SWP 382

Gable - - S-W Preservative Shingle

Stain, B-42

- S-W Preservative Shingle

Stain, B-44

Porch Floor - S-W Porch and Deck Paint,

No. 48

Porch Ceiling SWP 462

Roof

Ex. Doors - S-WHandcraft Stain, Brown

Oak

#### Exterior House, No. 11

Body - - SWP 470 Trinming - SWP 393 Sash - - SWP 382

Roof - - S-W Creosote Paint, Red.

Oxide

Porch Floor - S-W Porch and Deck Paint,

No. 50

Porch Ceiling S-W Kopal Varnish
Ex. Doors - S-W Handcraft Stain,
Fumed Oak





#### Plate XXV.

#### Exterior House, No. 12

Upper Body - S-W Preservative Shingle

Stain, C-71

Lower Body - SWP 457

Trimming - SWP 393

Sash - SWP 457

Roof - - S-W Preservative Shingle

Stain, C-71 - S-W Porch and Deck Paint,

No. 487 Porch Ceiling SWP 457

Porch Floor

Ex. Doors - S-W Handcraft Stain, Weathered Oak

#### Exterior House, No. 13

Body - SWP 456 Trimming - SWP 382 Sash - SWP Black

Roof - - S-W Preservative Shingle

Stain, B-43


Porch Floor - S-W Porch and Deck Paint,

No. 48

Porch Ceiling S-W Kopal Varnish

Ex. Doors - SWP 382





#### Paint Protection for the City Home

There are many houses of this type which, on account of their location in comparatively smoky parts of the small or large city, cannot be satisfactorily painted in light colors. It is such conditions which make the many medium shades of SWP very useful. In addition to the Medium Dark Green, SWP 371, shown on this house, there are many attractive Grays, Browns and Buffs which are equally as appropriate and durable under most severe exposure. SWP is made to withstand the most severe action of smoke and fumes.

#### How to Obtain the Effects Shown on this Plate with Sherwin-Williams Paint

 Body
 SWP 371

 Trimming
 SWP 360


 Sash
 SWP 498

Roof - S-W Preservative Shingle Stain, C-72
Porch Floor - S-W Porch and Deck Paint, No. 48

Porch Ceiling - S-W Kopal Varnish

Ex. Doors S-W Handcraft Stain, Cathedral Oak





UR reason for specifying S-W Inside Floor Paint as a surface over which to apply stencil borders is due to the fact that by its use you can be sure to have a finish on your floors that will last. This paint is especially made for inside floors, is ready for use and can be easily applied. It combines durability with quick drying qualities. For this reason it is especially suitable for any room in the house where the floors are of soft wood. It comes in ten good shades, which are especially pleasing and which produce soft color effects that blend harmoniously with the furnishings, hangings and color schemes of the room in which it is used. It also has the great advantage of withstanding scrubbing and cleaning without any fear of damage to the surface. It dries hard over night, but for best results should be allowed to stand 48 hours before it is walked on. On account of its splendid durability it will outlast the average varnish stain finish on the market today.

By means of the stencil borders described on the inside of this folder just as attractive results can be secured as can be obtained by the use of a varnish stain finish.

#### Sherwin-Williams Floor Finishes

HIS line contains a finish for any style and any floor, old or new. You can select the finish in the line which you think is suitable for the work you want to do, and by writing us can secure a folder giving instructions how to secure the best results from that particular finish that it is possible to get. The Floor Finish line includes the following:

S-W Inside Floor Paint—for inside floors, painted surface.

S-W Porch and Deck Paint-for porch floors, painted surface.

S-W Mar-not-for varnished floors, natural finish.

S-W Floorlac-for inside floors, stained finish.

S-W Crack and Seam Filler—for filling cracks and seams in floors.

S-W Floor Wax—for producing a waxed finish on floors.

S-W Dancing Floor Wax (powdered)—for ballroom floors.

E31 Kin 379

SOME SUGGESTIONS FOR FLOOR DECORATION




# Attractive Wall ecorations

## SHERWIN-WILLIAMS FLATFORE



A durable oil paint for the artistic decoration of interior walls, ceilings and woodwork. Produces a flat, velvety finish.

Absolutely sanitary. Can be cleaned with soap and water.




#### SHERWIN-WILLIAMS

JAIOB JOHN

READY FOR USE

FOR THE ARTISTIC DECORATION OF INTERIOR WALLS, CEILINGS AND WOODWORK IN DURABLE FLAT EFFECTS.





#### Finish Your Floors With a Paint That Lasts


UR reason for specifying S-W Inside Floor Paint as a surface over which to apply stencil borders is due to the fact that by its use you can be sure to have a finish on your floors that will last. This paint is especially made for inside floors, is ready for use and can be easily applied. It combines durability with quick drying qualities. For this reason it is especially suitable for any room in the house where the floors are of soft wood. It comes in ten good shades, which are especially pleasing and which produce soft color effects that blend harmoniously with the furnishings, hangings and color schemes of the room in which it is used. It also has the great advantage of withstanding scrubbing and cleaning without any fear of damage to the surface. It dries hard over night, but for best results should be allowed to stand 48 hours before it is walked on. On account of its splendid durability it will outlast the average varnish stain finish on the market today.

By means of the stencil borders described on the inside of this folder just as attractive results can be secured as can be obtained by the use of a varnish stain finish.

#### Sherwin-Williams Floor Finishes

HIS line contains a finish for any style and any floor, old or new. You can select the finish in the line which you think is suitable for the work you want to do, and by writing us can secure a folder giving instructions how to secure the best results from that particular finish that it is possible to get. The Floor Finish line includes the following:

- S-W Inside Floor Paint—for inside floors, painted surface.
- S-W Porch and Deck Paint-tor porch floors, painted surface.
- S-W Mar-not-for varnished floors, natural finish.
- S-W Floorlac-for inside floors, stained finish.
- S-W Crack and Seam Filler-for filling cracks and seams in floors.
- S-W Floor Wax—for producing a waxed finish on floors.
- S-W Dancing Floor Wax (powdered)—for ballroom floors.



SOME
SUGGESTIONS
FOR
FLOOR
DECORATION



#### An Easy and Attractive Way to Finish Your Floors

Hill floor problem is one which causes a great deal of trouble and bother to the average house owner. Where the floors are of hard would not the house is no, a Catasyramide fitted by the natural side iron. Frequently, however, the floor is of all would, or it not a now one, and the outstine of the best way to finish it is brought home very torophylo no arount or the tast in the bayen however stratched or married. The leaves the house women with a clother of two muches, on a varianced and variabled much, the rather a 1 mined souther. The former, pre-terred by many, one is considerable amount of hard, because of the number of costs which have to be applied and the new sam numplation of the graining tood to frond to so one the proper grained offer. Unless a person, a succept, the results obtained from a least a prior in a recept, the results obtained from a

to the other hand, a journal, Thinch is easy to apply not on the solect do so the formount advoids by with the colors beame of the wild, entiring and transitioning of the norm. But the one of a second bester applied over this primed sortice, the thore can be finished, over this primed sortice, the thore can be finished over districtedy and made to reemble very closely a parquef finish. The outline a given in the following sperific trions and in the color schemes shawn on the next three pipes advoids the house cower an easy method of hindring his flower with very little trouble odd with most placeing results.



#### Specifications for obtaining effects shown on the following pages:

#### Design No. 1



not detable floor var. If the wear on the stench border is especially seen in a range one point the design can set it rank to read he in ewed by sought applying the Stench Color again through the stench. Afteroid Kan Ursber is specified in these three designs any other Stench Color can be substituted if design.





#### Design No. 2

Follow the same instructions as given in Design No. 1 using S.W. Incid. Their Panti Yellow No. 36, for the sortion Stemal No. 200 (price. 30) for the bright and Stemal Color K.W. Umber by training or the set and section.






#### Design No. 3

Follow the some instructions as given in Design No. 1 ng S. W. Inside Theor. Faint Red., No. 455, for the southere, mad N. 256 for res. 256 for the bestder and Stenett Color.





#### ATTRACTIVE WALL DECORATIONS

HE walls and ceilings of your home form a most important part of the decoration. They dominate the entire color scheme and make the background for your furniture, draperies, etc., therefore, the greatest possible care should be exercised in deciding upon the kind and quality of materials and the character of the decoration. While the first thought is as to the style of decoration, there is another important point for consideration and that is sanitation. A wall surface that can be cleaned readily with soan and water and which has no wall covering that is germ and dust collecting is demanded. Wallpaper and fabric wall coverings are used because of their decorative value only and many of the designs available tend to produce an over decorative effect. Kalsomine and water paints are fairly sanitary when first applied, but cannot be cleaned with soap and water and lack durability.

Until the last year or two it has been almost impossible to get a sanitary finish combined with the necessary decorative qualities. Paint always has been a perfect sanitary finish for walls and ceilings, but the usual paint gloss was objectionable and in order to produce a wall finish thoroughly atisfactory in every particular it has been necessary for the paint manufacturer to add the decorative qualities to his material. Sherwin-Williams Flat-tone is the result. It has many points in its favor. In the first place it can be applied over every kind of wall-whether rough or smooth plaster. canvas, burlap, muslin, plaster board or metal; it gives an absolutely sanitary finish which can be cleaned with soap and water: it is durable, will last for years, all paste and paper pulp full of germs are eliminated

and this decorative finish actually becomea part of the wall itself.

In Flat-tone you can get the soft, velvety, flat effects without any of the objectionable gloss in former wall paints. At the same time, with this richness and death of tone it offers a surface which can be stenciled and decorated giving an individuality to your home. Flat-tone is an economica' finish in the long run because it does not require refinishing for a considerable period of time. Finger marks or other spots can easily be washed off. Then again, when you do come to the time of refinishing the wall is in excellent condition, it is only necessary to apply another coat of the same materia in the same color-or in any other colo-

The color suggestions shown on this folder represent the style of the decorative effects which are possible by means of this wall finish. There are twenty-four beautiful shades making practically an unlimited number of combinations possible. Furthermore, our Decorative Department will be pleased to offer special suggestions upon to cept of either blueprints, photographs or rough pencil plans showing the room or rooms you wish to finish together with such information as will help them in selecting color combination, which will meet exactle with your requirements

Flat-tone is out up in quart, half-gallon and gallon cans, bonid form, ready for use Get a color card from the Sherwin-Williams agent in your city.

Stenciling is a very satisfactory method of decorating walls and fabrics. The designs shown in the folder are only a few of the attractive steneds which have been prepared by our Decorative Department You can obtain any of these -tencils through the Sherwin-Williams agent. By writing to our Decorative Department you can get a very attractive little stencil book which tellall about this interesting method of decoration.

#### Complete Specifications for Color Plates shown on this folder

county-S-W. Plat tone. Pearl tony Stemat - No. 212 Size 2 malas high, pino 200

Hall-S-W Flat tone Shell Pml H outrotk-S-W I name! White

caching- S-W Elat-toni Old Gold Hall-S-W Flat-tone Coroas a Brown Steneth-No. 18v. Size 4 parlies high, price 30c If andwork-Oak, S.W. David van Ston Old Ev-

Floor, S-W. Golden Oak, Prob. Julier and S.W.


Cases If all S W. Islantons, Delta Blue

B all-S.W Hat-tone Minh Green

Floor-S-W Golden Oak Filler and S W Mar not

Cerbine-S-W Flat-tone Ivory

Steneit-No. 91 Size 3 melus high, price 20c H'eodayork-Birch, S-W Handeraft Stam M





#### SHERWIN-WILLIAMS



There is an increasing demand for rich and durable flat effects in the artistic decoration of interior walls and woodwork. There are many charp kalsomine finishes on the nariest which am at this result and are satisfactory for some of the charge withhold the control of finish, they would be considered to the control of the charge withhold to the control of the charge withhold to meet the particular requirements of the higher class, gented effects in finishing. It is the only satisfactory finish which combines:

Soft, velvety, flat effects;

Richness and depth of tone;
I satisfactory surface for refinishing at any time.

Thorough binding, which insures freedom from chalking or washing off:

Durability, which permits of repeated washing and cleaning without njury;

Ease of application; does not streak


when applied with a wide wall or kalsomine brush; Adaptability for use as a ground-

Adaptability for use as a groundwork under enamels and glaze colors—the highest type of decoration;

Economy in first cost, due to large covering capacity secured through extreme fineness in granding; unformity in shade, which saves the time required in matching and mixing materials on the job, etc.

The extensive use of Flat-tone verifies the above statements.

Put up in quart, half-gallon and gallon cans, excepting Fresco Green, Pompeian Red, Rich Marcont and Delft Blue, which are put up in quarts only.



DIRECTIONS:

#### S-W Liquid Flat-tone

Stir the paint thoroughly from the bottom of the can to a uniform consistency. If found too thick for ordinary use, thin slightly with spirits of turpentine.

S-W Liquid Flat-tone should be applied with a wide wall brush and flowed on freely with a sweeping stroke similar to the method used in applying kalsomine.

Owing to the varying conditions of the surfaces over which Flat-tone may be applied, it is midpossible to give definite instructions for use which will be found applicable in every case thence the following directions are only intended to suggest in a general way the best method for use

NEW WORK—Plaster or cement walls should first be primed with a mixture composed of S-W Flat-tone Mixing Size and Liquid Flat-tone equal parts. Over this two coats of the lighter shades or one coat of the darker colors will usually give very good results. Allow at least twenty-four hours for drying and hardening between coats.

On new woodwork we would recommend for the priming coat adding a pint of raw lineed oil and a put of turpentine to each scall not Lequil Flat-tone. Usually two coats of the 'lighter colors over a suitable priming coat will be found to give very satisfactory results, while oftentines one coat of the darker colors will suifice. Allow from thirty-six to forty-cight hours for drying and hardening between coats.

OLD WORK—On walls or woodwork that have been previously painted, first remove all loose paint and see that the surface is firm, smooth and free from high gloss. Two coats of Liquid Flat-tone, as it comes from the can, will be found to give very satisfactory results.

Covering Capacity—One callso of S-W Liquid Flat-tone will cover approximately 275 to 330 square feet, two coats, depending upon the condition of the surface over which the goods are applied. When used over mooth plastered walls one gallon will cover between 350 to 40 square feet, two coats.

#### Flat-tone System

The problem of wall treatment is one which demands very careful consideration in interior decoration. The walls should harmonize with the woodwork, furniture and draperies. They should not be too prominent, harsh or glossy, but should rather form a pleasing background, holding the entire room in complete harmony.

In S-W Flat-tone System we have provided the decorator with a finish possessing umusual possibilities. By the use of S-W Flat-tone, Flat-tone Glaze Colors and Flattone Glazing Liquid, an infinite variety of beautifully blended and mottled effects can be obtained for the most artistic interior wall decoration. The effects secured with Flat-tone System are deep and rich, and owing to the variety of colors which can he secured by the use of this line of finishes, it is always possible to have the wall in perfect harmony with the rest of the color scheme, varying from a simple transparent effect to a two or three-color mottled treat-

The Flat-tone Glaze colors used in the Flat-tone System are of a highly transparent nature through which the undercoatings are blended, thus producing a depth of tone and richness not possible to secure through the use of opaque materials. This rich wall coating is not glossy and can be cleaned with soap and water without injury.

The various effects produced with Flattone System can be very easily obtained over a smooth or rough plastered wall or one coated with decorators' canyas, burlan, muslin or plaster board. The operation is extremely simple, a suitable foundation being worked up with S-W Flat-tone which when thoroughly dry is followed by one coat of S-W Flat-tone Glazing Liquid previously tinted to the desired bue with S-W Flat-tone Glaze Colors.

We will send a Flat-tone System Color card with full directions for applying this finish on request.

#### Flat-tone Glaze and Stencil Colors

S-W Flat-tone Glaze and Stencil Colors are extremely transparent, very rich in color and finely ground. For this reason they are especially suitable for stenciling on fabrics of all kinds. They are of the exact consistency for this purpose and by the addition of 1-10 part of S-W Stencil Medium become "fast" in the fabric and are capable of withstanding soap and water washing. Most artistic and durable effects can be obtained on delicate materials without stiffening the fabric. The line includes many standard shades regularly found in artists' tube colors.

S-W Glazing Liquid is a carefully prepared reducing agent for Glaze Colors. By its use the decorator can produce with one coat the finest Glaze effects both on walls and high relief parts and need not resort to the use of wax, corn starch or other objectionable materials. The surface produced is soft, velvety and flat. Is durable and will withstand soap and water.

We have a complete line of ready cut stercils and transfer patterns. Catalog on request.

#### Sherwin-Williams Varnishes

We are most favorably situated to make good varnish because we manufacture our own linseed oil, buy turpentine direct from the producers, make the necessary driers for each kind of varnish and have the most modern appliances. Among our large line of varnish specialties we especially recommend the following:

S-W Durable Wood Finish, Interior-A durable high class varnish for interior finishing

S-W Kopal-A good old-fashioned for both inside and outside work.

S-W Excello-A varnish for interior use, It is pale and brilliant and better than hard oils.

S-W Mar-not-A floor varnish that will withstand extreme wear and tear.

The Sherwin-Williams Decorative Department consists of a staff of designers and artists who are well qualified by training and experience to solve any problem which may confront them. We constantly receive from decorators and architects requests for our service in connection with their building and decorating problems for exterior and interior. Frequently, 100, we have requests for this service from house owners. This service is offered free of charge to any one requesting it, and those who accept it are not in any way obligated to use Sherwin-Williams products.

In order to take advantage of this free service it is only necessary to send us such information as will guide our decorators in their choice of color schemes. A rough pencil sketch, or better still, blue prints, showing ground plans, should accompany this information if possible. We provide an information blank which will be sent on request. When the information and blue prints are received, our decorators prepare special sketches in every case, making them conform as nearly as possible to the conditions surrounding each operation. To enable the party to whom these suggestions are supplied to see just how this work will look when finished, elevation sketches are made up in the actual goods in each case and are sent along with the suggestions. Samples of tapestries, fabrics, etc., which will harmonize best with the color suggestions given are also included. In other words, this service of the Sherwin-Williams Decorative Department is final in all its branches and has proved to be eminently satisfactory to many architects, decorators and house-owners who demand the very highest class of work.

This service is supplied not only for decorating all of the rooms in a house but for a single room as well. All that is necessary is to furnish the information recommended above to the Decorative Department of the Sherwin-Williams Co., 601 Canal Rd. N. W., Cleveland, O.

#### SHERWIN-WILLIAMS PRODUCTS

OR finishing floors, woodwork, walls, ceitings, furniture, etc. No matter what you want to paint or varnish, some one of the Sherwin-Williams Paints or Varnishes is made for that purpose and will prove the best you can use.

FOR INTERIOR WALLS, ETC.,
S.W.FLAT-TONE. For flat effects.
S.W.FLAT-TONE SYSTEM. For artistic motified effects,
S.W.ERAMELASTIC OR S.W. ENAMEL. For ename! hand,
S.W.ERAMELOOD. For a birds [OSS firsts]. S-W DISTEMPER OF FRESCO CULORS.

FOR INTERIOR WOODWORK, S W HANDCRAFT STAINS. Complete line of artistic finishes.

8 W HANDCRAFT SYSTEM. Art nouveau of interior finishing S-W WODDCRAFT STAINS. For medium-priced work, S.W FLAT TONE. For flat effects. 8-W VELVET FINISH. For an oil-rubbed effect,

S W MISSION LAC. For mission effects, S W VARNISHES. A varioush for all requirements. S W FURNITHE WAX. For a waxed finish. S W GOLDEN DAK STAIN. Permanent in color. S.W. OIL STAIN. For new work at an economical cost S.W. BRIGHTEN UP STAIN. For staining and vargishing.

FOR FLOORS,
S.W. PORCH AND DECK PAINT. For porch floors, etc.
S.W. INSIDE FLOOR PAINT, For painted finish S-W FLOORLAC. Stain and varnish combined, S-W BRIGHTEN UP STAIN. For stained and varnished inish S-W MAR NOT. The durable floor varnish. S-W DURABLE HOUSEHOLD VARNISH. For general use. S-W FLOOR WAX. For producing a wax finish.
S-W PLOOR WAX. For ballroom floors.
S-W CRACK AND SEAM FILLER, For unsightly cracks.

FOR FILLING AND FIRST COATING. S W MARVELAC-ER. A variety first coater.

S W SHELLAC-COAT. A "better than Sheliac" first coater.

S W LIQUID FILLER. First coater for closing rained wood.

S-W PASTE FILLER. For open-grained hardwoods. FOR RADIATORS, PIPING, ETC. S.W ALUMINUM. Bright as silver, S.W LIQUID GOLD. Prepared ready for use.

FOR SHINGLES AND EXTERIORS, S W PRESERVATIVE SHINGLE STAINS. 23 colors.

FOR PAINT AND VARNISH REMOVER. 8 W TAXITE. Harmless, reliable and economical,

FOR IRON AND GRILL WORK,


S W FLAT BLACK. For imitation wrought from finish. FOR TINTING PURPOSES. S W FIRST QUALITY OIL COLDRS Finely ground.

S W DRY COLORS. Fine toned and strong. FOR BUILDINGS, OUTSIDE AND INSIDE, AND ROOFS, SHERWIN WILLIAMS PAINT (Prepared). For the priming coat-USE & W. LIQUID PRIMER.

MISCELLANEOUS, WHITE ZINGS IN OIL. FRENCH ZING IN VARNISH. OCHRE, AND VENETIAN RED. GRAINING COLORS (Paste and Distemper).


S.W. FLAXOAP. A pure inseed oil soap. S.W. POLISH OL. Renews the original finish, S.W. METALASTIC. For all metal surfaces.






CC10 BH 7%






THE LIVING ROOM



THE SERVANT'S ROOM



Specification—Ceiling and Cove, S-W Flat-tone, Cream. Wall, S-W Flat-tone System Effect, No. 14.

Woodwork, S-W Handcraft Stain, Mahogany. Floor, Natural; S-W Mar-not,

Stencil, No. 205y.




Specification—Ceiling, S.W. Flat-tone, Ivory. Upper Wall, S-W. Flat-tone System Effect, No. 3. Lower Wall, S-W. Flat-tone
System Effect, No. 13. Stencil Border, Stencil No. 124. Woodwork, Oak, S-W. Handcraft Stain, Cathedral Oak.


Floor, Oak, S-W. Antique Oak Paste Filler and S-W. Mar-nor.



Specification—Ceiting and Cove, S.W. Flat-tone, Ivory. Wall, S.W. Flat-tone, Cream. Stencil, No. 36. Woodwork—S.W. Enamel, White. Floar, Natural, S.W. Mar-not.



Specification—Ceiling and Cove, S-W Flat-tone, Cream. Wall, S-W Flat-tone, Bright Sage. Stencil, No. 113, Woodwork—S-W Handcraft Stain, Fumed Oak. Floor, Natural; S-W Mar-not.




Above are two miniature color elevations showing the practical manner in which our Decorative Department sends out suggestions free to property owners on the interior decoration of their homes, stores, etc. These elevations are accompanied with exact specifications for securing the effects shown. Agents and dealers who are aggressive and work in close touch with us on this plan will find themselves securing some of the most profitable business in their communities, much of it being of a character that they could never hope to secure without this help.




Specification—Ceiling, S-W Flat-tone, Cream. Wall, S-W Flat-tone, Terra Cotta. Stencil, No. 97. Woodwork, S-W Varnish Stain, Dark Oak. Floor, S-W Floorlac, Light Oak.



Specification—Ceiling, S-W Flat-tone, Buff. Upper Wall, S-W Flat-tone, Buff. Lower Wall, S-W Flat-tone, Rich Margon. Woodwork, S-W Golden Oak Stain. Floor, Natural, S-W Mar-not.



Specification—Ceiling, S-W Flat-tone, Ivory. Wall, S-W Flat-tone, Pale Olive, Stencil, No. 19. Woodwork, S-W Handcraft Stain, Tavern Oak. Floor, Three Coats S-W Mar-not Varnish




Specification—Ceiling and Drop, S-W Flat-tone, White work, S-W White Enamel.

Wall, S-W Flat-tone, French Gray. Floor, S-W Inside Floor Paint, Gray.



Specification—Ceiling, S-W Mat-tone, Cream, Wall, S-W Flat-tone, Old Gold. Stenett, No. 10. Woodwork, Natural
Pine: finished with S-W Excello Varnish.

### Ploor, Natural; finished with three coats S-W Mar-not Varnish.



Specification—Ceiting and Wall, S-W Flat-tone, Pearl Gray.

Wainscoting, S-W Enameloid, White. Stencil, No. 306.

Woodwork, S-W Enameloid, White. Floor, Linoleum.

Specification—Ceiling, S-W Flat-tone, Gream. Wall, S-W Flat-tone, Old Gold. Woodwork, S-W Handcraft Stain, Silver Gray. Floor, S-W Inside Floor Paint, Gray.

Enclosed is a sheet containing reproductions of the current advertisements of Sherwin-Williams Paints and Varnishes and the extension of the Decorative Idea. This shows the advertisements as they will appear in all the big magazines in colors, and also the smaller advertisements both in magazines and farm papers. Our advertising campaigns have been growing stronger and better each year and this year it will be more productive than ever.







